



**DOUBLE-STRAIN YOKE SETS**

Cat. No. 8700




Cat. No. 8800


Cat. No.	Material	Ultimate Strength, Pounds	DIMENSION L, Inches	Shipping Weight, Lb/100
8700	Forged Steel	36,000	13	4,210
8720			16	4,661
8750		50,000	13	4,241
8770			16	4,692
8800	Forged Steel	36,000	13	4,204
8820			16	4,572
8850		50,000	13	4,173
8870			16	4,603



TRIPLE-STRAIN YOKE SETS



Cat. No. 9851, 9852




Cat. No. 9951, 9952


Cat. No.	Material	Ultimate Strength, Pounds	DIMENSIONS—Inches												Shipping Weight, Lb/100
			A	B	C	D	E	F	G	H	J	K	L	M	
9851	Forged and Cast Steel	90,000	20 $\frac{1}{16}$	15 $\frac{1}{32}$	3 $\frac{25}{32}$	4 $\frac{29}{32}$	5 $\frac{1}{2}$	2 $\frac{3}{8}$	3 $\frac{1}{2}$	2 $\frac{3}{8}$	2 $\frac{3}{8}$	3 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{4}$	9,600
9951		90,000	16 $\frac{3}{16}$	15 $\frac{3}{32}$	3 $\frac{25}{32}$	4 $\frac{29}{32}$	5 $\frac{1}{2}$	2 $\frac{3}{8}$	—	2 $\frac{3}{8}$	2 $\frac{3}{8}$	3 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{4}$	9,600
9852		150,000	26 $\frac{1}{16}$	18 $\frac{29}{32}$	6 $\frac{7}{16}$	6 $\frac{3}{4}$	5 $\frac{1}{2}$	2 $\frac{3}{4}$	4 $\frac{1}{2}$	4 $\frac{1}{32}$	2 $\frac{5}{16}$	4 $\frac{1}{16}$	2 $\frac{3}{8}$	1 $\frac{5}{8}$	14,300
9952		150,000	21 $\frac{1}{16}$	17 $\frac{3}{4}$	6 $\frac{7}{16}$	6 $\frac{3}{4}$	5 $\frac{1}{2}$	2 $\frac{3}{4}$	—	2 $\frac{3}{4}$	2 $\frac{3}{4}$	4 $\frac{1}{16}$	2 $\frac{3}{8}$	1 $\frac{5}{8}$	14,300




JULY 1, 1967

YOKE PLATES


Cat. Nos. 8511, 8531



Cat. Nos. 8320, 8540, 8550, 8560



Cat. Nos. 8620, 8630



Cat. No. 8690

Cat. No.	Ultimate Strength, Pounds		DIMENSIONS—Inches												Shipping Weight, Lb/100
	Not Heat Treated	Heat Treated	A	B	C	D	E	F	G	H	J	K	L	M	
8511	36,000	50,000	15 1/2	13	6 1/4	1 1/4	1 3/8	1 1/4	—	1 5/16	1 1/16	—	—	5/8	1,050
8531	36,000	50,000	20 1/2	18	6 1/4	1 1/4	1 3/8	1 1/4	—	1 5/16	1 1/16	—	—	5/8	1,500
8520	36,000	50,000	18	16	6 1/4	1	1 5/8	1 5/8	3	1 5/16	1 1/16	1/2	1	5/8	1,395
8540	—	72,000	15 1/4	13	6 1/8	1 1/8	1 3/8	1 3/4	2 3/4	1 5/16	1 5/16	1/2	1 1/8	3/4	1,360
8550	—	72,000	18 1/4	16	6 1/8	1 1/8	1 3/8	1 3/4	2 3/4	1 5/16	1 5/16	1/2	1 1/8	3/4	1,580
8560	—	72,000	20 1/4	18	6 1/8	1 1/8	1 3/8	1 3/4	2 3/4	1 5/16	1 5/16	1/2	1 1/8	3/4	1,838
8620	30,000	50,000	18 1/4	16	8	—	—	—	—	—	—	—	—	—	2,515
8630	30,000	50,000	20 1/4	18	9	—	—	—	—	—	—	—	—	—	2,795
8690	30,000	50,000	20 1/4	18	—	—	—	—	—	—	—	—	—	—	1,260