

Westinghouse



Renewal Parts Data  
41-076A1



Page 1

Universal Flexitest®  
Cases

Types FT-11, 21, 22, 31, 32, 41, 42

### Ordering Information

- Give style number and name of part.
- Give the complete nameplate reading.
- State method of shipment desired.
- Send all orders or correspondence to nearest sales office of the company.



| Reference Number | Description of Part                                                                 | Style Number of Part |              |              |              |
|------------------|-------------------------------------------------------------------------------------|----------------------|--------------|--------------|--------------|
|                  |                                                                                     | Type FT-11           | FT-21, FT-22 | FT-31, FT-32 | FT-41, FT-42 |
| 1                | Cover assembly.....                                                                 | ③ 1730 645           | ③ 1730 647   | ③ 1875 690   | ③ 1730 646   |
| 2                | Window glass (for dimensions see footnote 5).....                                   | 1875 022             | 1875 023     | 1875 024     | 1875 025     |
| 3                | Gasket.....                                                                         | 52D6292H03           | 52D6292H03   | 52D6292H03   | 52D6292H03   |
| 4                | Hinge.....                                                                          | ③ 877A649H02         | ③ 877A649H02 | ③ 877A649H02 | ③ 877A649H02 |
| 5                | Reset lever.....                                                                    | 1875 313             | 1875 313     | 1875 313     | 1875 313     |
| 6                | Washer to retain reset lever.....                                                   | 57D4483H03           | 57D4483H03   | 57D4483H03   | 57D4483H03   |
| 7                | Screw to retain reset lever.....                                                    | 184A258H01           | 184A258H01   | 184A258H01   | 184A258H01   |
| 8                | Screw for hinge.....                                                                | ④                    | ④            | ④            | ④            |
| ①                | Clip to hold glass.....                                                             | 877A585H01           | 877A585H01   | 877A585H01   | 877A585H01   |
| ②                | Cement used to cement glass to cover.....                                           |                      |              |              |              |
| ③                | Screw for glass clip ¼ 4 x ¾ round head steel sheet metal screw, finish 22AA03..... |                      |              |              |              |

Parts indented are included in the part under which they are indented.

① Not illustrated. ② Nickel plated finish.

③ When ordering, specify style and type of relay for which part is required.






④ Buy from Minnesota Mining and Mfg. Co. #EC-870 in 5 ounce tube.

⑤ Glass dimensions: FT-11 (3¼ x 3¾); FT-21, 22 (4¼ x 6¾); FT-31, 32 (4¼ x 11¾); FT-41, 42 (4¼ x 14¾).

February, 1976

Supersedes RPD 41-076A1 dated September, 1973  
E, D, C/2780


Westinghouse



| Reference Number | Description of Part                                | Style Number |
|------------------|----------------------------------------------------|--------------|
| 1                | Switch jaw block insulation with pedestals.....    | 55B6759G02   |
| 2                | Switch jaw block insulation without pedestals..... | 1732 784     |
| 3                | Switch blade block insulation.....                 | 1732 783     |
| 4                | Terminal block®.....                               | 1732 731     |
| 5                | Gasket for terminal block.....                     | 1732 702     |
| 6                | Terminal.....                                      | 1732 711     |
| 7                | Speed nut.....                                     | 1731 016     |
| 8                | Expansion nut.....                                 | 1731 042     |
| 9                | Self tapping screw.....                            | 1875 304     |
| 10-11            | Switch blade and jaw kit assembly.....             |              |
| A                | Trip (red).....                                    | 3500A28G13   |
| B                | Potential (black).....                             | 3500A28G09   |
| C                | Potential (black).....                             | 3500A28G10   |
| D                | Trip (red).....                                    | 3500A28G14   |
| E                | Current SC (black).....                            | 3500A28G11   |
| F                | Current SC (black).....                            | 3500A28G12   |

® Knock out holes as required.

Universal Flexitest®  
Cases




| Reference Number | Description of Part                                                                                                | Style Number |
|------------------|--------------------------------------------------------------------------------------------------------------------|--------------|
| ⑦1               | Switch blade with short connector strap – red handle.....                                                          | 53C9059G08   |
| ⑦1               | Switch blade with short connector strap – black handle.....                                                        | 53C9059G09   |
| ⑧1               | Switch blade with long connector strap – black handle.....                                                         | 53C9059G10   |
| ⑧1               | Switch blade with long connector strap – red handle.....                                                           | 53C9059G11   |
| ⑨2               | Switch blade with long connector strap and current jack spring – black handle.....                                 | 53C9059G14   |
| ⑩2               | Switch blade with short connector strap and current jack spring – black handle.....                                | 288B721 G01  |
| ⑨3               | Switch blade with long connector strap, auxiliary short circuit spring and current jack spring – black handle..... | 53C9059G12   |
| ⑩4               | Switch blade with short connector strap and auxiliary short circuit spring – black handle.....                     | 53C9059G13   |
| 5                | Switch blade and hinge assembly tapped – with black handle.....                                                    | 53C9041G08   |
| 5                | Switch blade and hinge assembly tapped – with red handle.....                                                      | 53C9041G07   |
| 5                | Switch blade and hinge assembly not tapped – with black handle.....                                                | 53C9041G09   |
| 6                | Switch blade and hinge assembly tapped – with black handle.....                                                    | 53C9041G05   |
| 7                | Connector strap – long.....                                                                                        | 1732 753     |
| 8                | Connector strap – short.....                                                                                       | 1732 752     |
| 9                | Stud.....                                                                                                          | 1732 713     |
| 10               | Shakeproof washer.....                                                                                             | 109A953H06   |
| 11               | Nut for stud.....                                                                                                  | 1155 351     |
| 12               | Barrier – long (2.05 inch) for switch blades – all except top block FT-22....                                      | 184A217H01   |
| 12               | Barrier – short (1.8 inch) for switch blades – FT-22 top block only.....                                           | 184A380H01   |
| 12               | Barrier – short (1.4 inch) for switch jaw block only.....                                                          | 1732 703     |
| ⑪                | L-shaped barrier for switch jaw block (5000 volt insulation only).....                                             | 183A452H01   |
| 13               | Current jack connector (for switch jaw block).....                                                                 | 184A277H01   |
| 14               | Current jack spring – not tapped.....                                                                              | 184A244H01   |
| 14               | Current jack spring – tapped.....                                                                                  | 184A244H02   |
| 15               | Connector clip.....                                                                                                | 1732 710     |
| 16               | Contact spring, left, front view.....                                                                              | 1732 721     |
| 17               | Contact spring, right, front view.....                                                                             | 1732 722     |
| 18               | Short circuit spring, blade operated short-circuiting switch.....                                                  | 187A704H01   |
| 19               | Switch jaw.....                                                                                                    | 1732 706     |


- ⑦ Used in block positions 2-4-6-8-10.  
 ⑧ Used in block positions 1-3-5-7-9.  
 ⑨ Used in block positions 3-5-7-9.  
 ⑩ Used in block positions 2-4-6-8.  
 ⑪ Not illustrated.

Universal Flexitest®  
Cases

Renewal Parts for Ten-Circuit Test Plug



1



2


3

4

5

6

7




8

| Reference Number | Description of Part                  | Style Number |
|------------------|--------------------------------------|--------------|
| 1                | Ten-circuit test plug.....           | 1164 046     |
| 2                | Bottom insulation.....               | 1340 791     |
| 3                | Stud and blade, long.....            | 1537 729     |
| 4                | Stud and blade, t-shaped, long.....  | 1537 731     |
| 5                | Stud and blade, short.....           | 1537 728     |
| 6                | Stud and blade, t-shaped, short..... | 1537 730     |
| 7                | Nut.....                             | 1725 785     |
| 8                | Top insulation.....                  | 1340 792     |

Parts indented are included in the part under which they are indented.

Renewal Parts for Ammeter Test Plug



9

10

11


12

13

| Reference Number | Description of Part    | Style Number |
|------------------|------------------------|--------------|
| 9                | Ammeter test plug..... | 07B4618G04   |
| 10               | Insulation, black..... | 01C6115H03   |
| 11               | Insulation, red.....   | 01C6115H04   |
| 12               | Blade assembly.....    | 07B4618G03   |
| 13               | Terminal clip.....     | 324 091      |

Parts indented are included in the part under which they are indented.

Renewal Parts for Interlocking Bar for Switch



15

14

15

| Reference Number | Description of Part                            | Style Number |
|------------------|------------------------------------------------|--------------|
| 14               | Tie bar - 2-switch blade.....                  | 1270 537     |
| 14               | Tie bar - 3-switch blade.....                  | 1270 538     |
| 14               | Tie bar - 4-switch blade.....                  | 1340 225     |
| 15               | .112-40 x 1/4 flat head steel machine screw... | 877A525H03   |