



March, 1986
New Information
Mailed to: E, D, C/41-400B

In FT-11 Flexitest Case[Ⓢ]

Type CWD Power Relay

Complete Relay

Style Number	Hertz	Range Watts	Style Number of Part			
			Electromagnet	Moving Contact Spring and Adjuster	Disc and Shaft Assembly	Permanent Magnet
292B332A09	60	20-120	876A509G13	880A722G27	880A772G11	1732 777
292B332A10	60	100-600	876A509G14	880A722G27	880A772G11	1732 777
292B332A11	60	50-300	876A509G15	880A722G27	880A772G11	1732 777
292B332A12	60	150-900	876A509G16	880A722G27	880A772G11	1732 777
292B332A13	60	10-60	876A509G17	880A722G27	880A772G11	1732 777
292B332A14	60	150-900	876A509G16	880A722G27	880A772G11	1732 777
292B332A15	60	150-900	876A509G16	880A722G27	880A772G11	1732 777
292B332A16	60	150-900	876A509G16	880A722G27	880A772G11	1732 777
292B332A17	60	150-900	876A509G16	880A722G27	880A772G11	1732 777
292B332A18	60	10-60	876A509G17	880A722G27	880A772G11	1732 777
292B332A19	60	150-900	876A509G16	880A722G27	880A772G11	1732 777
292B332A20	60	50-300	876A509G15	880A722G27	880A772G11	1732 777
292B332A21	50	20-120	876A509G18	880A722G27	880A772G11	1732 777
292B332A22	60	5-30	876A509G21	880A722G27	880A772G11	1732 777
292B332A23	50	10-60	876A509G21	880A722G27	880A772G11	1732 777
292B332A25	60	175-1000	183A475G28	880A722G23	880A772G15	1732 777
292B332A26	60	20-120	183A475G22	880A722G29	880A772G15	1732 779
292B332A27	60	100-600	183A475G22	880A722G23	880A772G15	1732 777
292B332A28	60	35-200	183A475G27	880A722G28	880A772G15	1732 779
292B332A29	50	20-120	876A509G19	880A722G29	880A772G15	1732 780
292B332A30	50	100-600	876A509G20	880A722G23	880A772G15	1732 777

Common Parts for CWD Relay

Ref. No.	Description of Part	Style Number	Resistors Description	Style Number
1	Electromagnet	See Table*	200 Ohm 25W 2 inch fixed	1205 216
2	Tap screw	1545 282 [Ⓢ]	265 Ohm 25W 2 inch fixed	1267 273
3	Upper bearing screw	1732 773	800 Ohm 25W 2 inch fixed	1202 495
4	Lower bearing screw	1731 959		
5	Stationary contact and support assembly	407C057G01*		
6	Contact on spring	183A654G01 [Ⓢ] *		
7	Set screw and plate	407C053G01 [Ⓢ]		
8	Moving contact, spring and adjuster.....	See Table*		
9	Disc and shaft assembly	See Table		
10	Upper bearing	289B392G01		
11	Lower bearing	289B393G02		
12	Permanent magnet	See Table		
13	Resistor.....	See Table*		

NOTES: Parts indented are included in part under which they are indented.

[Ⓢ] Two (2) used.

* Recommended for stock.

[Ⓢ] For Flexitest Case Parts Refer to RPD 41-076A1.

Ordering Information

- Give style number and name of part.
- Give the complete nameplate reading.
- State method of shipment desired.
- Send all orders or correspondence to nearest sales office of the company.






Westinghouse Electric Corporation
Relay and Telecommunications Division
Coral Springs, FL 33060

Renewal Parts Data
41-241A1

Page 1

August, 1985
Supersedes RPD 41-241A1 dated
January, 1979
Mailed to: E, D, C/41-400B, 41-500B

Type CW Power Relays



Ordering Information

- Name the part and give its style number.
- Give the complete nameplate data.
- State method of shipment desired.
- Send all orders or correspondence to nearest sales office of the company.



Type CW Relay in FT-11 Case^①
Three Phase

Complete Relay Style Number	Volts	Watts	Contacts	Style Number of Part	
				Electromagnet	Moving Contact
1962190 ^④	120	100-600	SPST	183A475G23	880A721G21
1962400 ^④	120	20-120	SPST	183A475G22	880A721G20
1963182 ^④	208	35-200	SPST	183A475G27	880A721G20
1963432	120	20-120	SPST	183A475G22	880A721G20
289B988A17	120	20-120	SPST	183A475G22	880A721G20
289B988A18	120	100-600	SPST	183A475G23	880A721G21
289B988A19	120	20-120	DPST	183A475G22	880A721G22
289B988A20	120	100-600	DPST	183A475G23	880A721G23
289B988A21	208	35-200	SPST	183A475G27	880A721G20
289B988A22	208	175-1000	SPST	183A475G28	880A721G21
289B988A23	120	20-120	SPDT	183A475G22	880A721G31
289B988A24	120	100-600	SPDT	183A475G23	880A721G39
289B988A25	240	35-200	SPST	876A509G05	880A721G20
289B988A26 ^④	208	175-1000	SPST	183A475G28	880A721G21
289B988A31	120	20-120	SPST	183A475G22	880A721G20
774B464A10	120	20-120	SPST	183A475G22	880A721G20
774B464A12 ^④	120	20-120	SPDT	183A475G22	880A721G31
774B464A14	120	100-600	SPST	183A475G23	880A721G21
774B464A15	208	35-200	SPST	183A475G27	880A721G20


Type CW Relay in FT-21 Case^①
Single Phase

Complete Relay Style Number	Volts	Watts	Contacts	Style Number of Part	
				Electromagnet	Moving Contact
1962437 ^④	120	20-120	SPST	183A475G22	880A721G25
1962637	120	20-120	SPST	183A475G22	880A721G40
1962715 ^④	120	100-600	SPST	183A475G23	880A721G34
289B988A09	120	20-120	SPST	183A475G22	880A721G25
289B988A10	120	100-600	SPST	183A475G23	880A721G34
289B988A11	120	20-120	DPST	183A475G22	880A721G27
289B988A12	120	100-600	DPST	183A475G23	880A721G41
289B988A14 ^③	120	20-120	SPST	183A475G22	880A718G15
289B988A15 ^③	120	100-600	SPST	183A475G23	880A718G16
289B988A29 ^④	240	200-1200	SPST	876A509G06	880A721G34
774B464A09 ^④	120	20-120	SPST	184A475G22	880A718G15
774B464A13	120	100-600	SPST	184A475G23	880A718G16
774B464A16	120	20-120	SPST	184A475G22	880A721G25

^① For Flexitest case parts refer to RPD 41-076A1.

^③ Under power relay.

^④ 50 Hz.



Ref. No.	Description of Part	Style Number	Ref. No.	Description of Part	Style Number
1	Electromagnet w/tap Plate	See Table★	Δ16	Stationary Contact for DPST Relays	52D6280G02★⑤
2	Tap Screw	1545282	17	Contact Plate for Single Trip Relays	1732759
3	Moving Contact Assembly	See Table★	18	Contact Plate for Double Trip Relays Only	818794⑤
4	Disc and Shaft Assembly	880A772G12	19	Adjusting Screw Double Trip Relays Only	718931⑤
Δ4	Disc and Shaft Assembly for Under Power Relays	880A772G21	Δ20	Capacitor 4 MFD	1723407★
5	Lower Bearing	184A440G01	20	Capacitor 1.6 MFD	1875936★
6	Lower Bearing Screw	3499A37G09	21	Resistor 265 Ohms	1267273★
7	Upper Bearing Screw	52D6291G03	21	Resistor 800 Ohms	1202495★
8	Dial Assembly for SPST and DPST Relays	1878801	Δ22	Reactor (20W-120W)	24A4948G27★
Δ9	Dial Assembly for SPDT Relays	1875855	Δ22	Reactor (100W-600W)	24A4948G25★
Δ10	Dial Assembly for SPDT Relays	52D6380G02	Δ22	Reactor (200W-1200W)	24A4948G22★
Δ11	Lead for SPDT	1537048	23	ICS Unit (.2-2A Single Trip, Blank Target)	3491A37G17②★
Δ12	Contact on Spring Assembly	1875701	23	ICS Unit (.2-2A Double Trip, Blank Target)	3491A37G18★②
13	Permanent Magnet (100W-600W); (175W-1000W); (200W-1200W)	1732777	24	ACS Unit (1A Single Trip, Blank Target)	3491A39G17②★
13	Permanent Magnet (20W-120W); (35-200W)	1732780	24	ACS Unit (1A Single Trip, "T" Target)	3491A39G15★②
14	Insulation Mounting Block for Stationary Contact	33B3110H02	24	ACS Unit (2A Single Trip, "T" Target)	3491A30G13②★
15	Stationary Contact for SPST and SPDT Relays	1732776★	25	Stationary Contact for ICS & ACS Units	1732407★

NOTE: Parts indented are included in the part under which they are indented.

② For ICS and ACS parts refer to RPD 41-076A1.

Δ Not illustrated.

★ Recommended for stock.

