






35-230





PAGE
1

OUTLINE DIMENSIONS IN INCHES:

Approximate Only. Do Not Use for Construction Purposes.




- Auxiliary Switches (12-Circuit Maximum)
- Shunt Trip
- Under voltage Trip (With or Without Time Delay)
- Alarm Switch
- Key Lock or Key Interlock
- Field Discharge Contact
- Electric Lockout
- Operation Counter



New Information
E42-2N; D64-2D; C28-2B

SEPTEMBER, 1951


SWITCHGEAR DEVICES
LOW-VOLTAGE AIR CIRCUIT BREAKERS
TYPE DB-50 • DE-10N® • VENTILATED



2 OR 3 POLES • MANUALLY OR ELECTRICALLY OPERATED

OUTLINE DIMENSIONS IN INCHES

Approximate Only. Do Not Use for Construction Purposes.





SWITCHGEAR DEVICES

LOW-VOLTAGE AIR CIRCUIT BREAKERS

TYPE DB-50 • DE-10N® • WEATHERPROOF OR DUST-TIGHT

DIMENSION SECTION


35-230

PAGE 3

2 OR 3 POLES • MANUALLY OR ELECTRICALLY OPERATED

OUTLINE DIMENSIONS IN INCHES

Approximate Only. Do Not Use for Construction Purposes.





WESTINGHOUSE ELECTRIC CORPORATION
EAST PITTSBURGH PLANT • SWITCHGEAR DIVISION • EAST PITTSBURGH, PA.

Printed in U.S.A.