

# General Purpose Control Components

## Welcome to the Control Catalog!

This new edition is your comprehensive guide to product selection and pricing for GE electrical control products. Our new format in this latest edition allows for maximum convenience and access to the information you need to serve your customers. Please note our new products highlighted on pages 2 and 3 of this introduction.

### Fast Shipments

GE Fastrac is a quick-ship program that gives you access to a broad range of custom built and control products with an expedited shipping schedule.

### EDI (Electronic Data Interchange)

EDI is a direct computer-to-computer exchange of business documents – primarily purchase orders and invoicing. Using off-the-shelf software, it translates data into a format that can be transmitted electronically and input directly in the order entry system. EDI offers several benefits, including reduced paper handling and associated costs, reduced errors that can occur in manual processing, and simplified sharing of information. For more details about EDI, call 1-800-GE1-STOP.

### On the Web

Visit us at [www.geelectrical.com](http://www.geelectrical.com) to learn more about GE Consumer & Industrial. On the web you'll find detailed information regarding all of GE Consumer & Industrial's product lines, including product pictures, specs, features and benefits. You can also visit the publications library to get quick and easy access to thousands of GE product and marketing brochures or order a hard copy of a brochure.

The GE Smart Catalogs are available on [www.geelectrical.com](http://www.geelectrical.com). You can register and download this complete catalog. Once downloaded, you'll have instant access to the catalog when you are online or offline. When used online, you will be notified automatically when updates are available for download.

Plus there is information regarding New Products, Where to Buy, Service, Parts Online, Training, Trade Shows and more! Visit [www.geelectrical.com](http://www.geelectrical.com) today to answer all your GE Consumer & Industrial questions.

### EliteNet®

EliteNet® is the GE Consumer & Industrial B2B (business to business) extranet system to customize and personalize your web experience. Visit [www.geelectrical.com](http://www.geelectrical.com) and click on EliteNet® in the upper right corner to register. You still have access to all the great tools from the public web home page, plus you can customize the information you see to show only what matters most to you.

If you have an account with GE Consumer & Industrial you can check orders, place orders, check price and availability of products, process returns and even review your payables status any day of the week and any time of day no matter where you are worldwide!

For easy access to technical information about our construction products, register on our consultant's EliteNet®. An account with GE Consumer & Industrial is not required.

GE Consumer & Industrial is committed to making your business more productive by providing simple access to solutions and answers.

### Key Contact Information

#### Customer Service

Customer service for all products listed in the Control Catalog, GEP-1260 and the BuyLog®, GEP-1100 can be obtained at:

GE Consumer & Industrial  
Customer Service Center  
4601 Park Road  
Suite 400  
Charlotte, NC 28209  
Telephone: 1 (800) GE1-STOP, (800-431-7867)  
Email: [ge.1stop@indsys.ge.com](mailto:ge.1stop@indsys.ge.com)

#### Post Sales Service

Post sales service issues and warranty cases can be initiated and updated via EliteNet® or contact:

1 (888) GE-RESOLve (888-437-3765)

#### Component Application Support

Pre-sales application engineering support for component products can be found at:

GE Fastech  
(800) 327-8155 or [Fastchlt@Indsys.ge.com](mailto:Fastchlt@Indsys.ge.com)

#### How to Order Additional Control Catalogs

Additional copies can be ordered via the [www.geelectrical.com](http://www.geelectrical.com) website or through:

GE Consumer & Industrial  
Distribution Services  
PO Box 2913  
Bloomington, IL 61702-2913  
Telephone: (309) 664-1513  
Fax: (309) 662-9660

#### GE Consumer & Industrial Global Headquarters

Appliance Park  
Louisville, KY 40225  
[www.geconsumerandindustrial.com](http://www.geconsumerandindustrial.com)

#### GE Consumer & Industrial

Electrical Distribution  
41 Woodford Avenue  
Plainville, CT 06062  
[www.geelectrical.com](http://www.geelectrical.com)

AF-60LP™, AF-600FP™, AF-650GP™, and GEM™ are trademarks of GE Consumer & Industrial.

A-Series®, ASTAT®, BuyLog®, EliteNet®, Energy Saver®, Light Tower®, MicroVersaTrip®, Power Break®, and Spectra® are registered trademarks of GE Consumer & Industrial.

Lexan® is a registered trademark of GE Plastics.



# General Purpose Control Components

## What's new!

...and where to find it.

# Introduction

### Miniature Circuit Breakers with UL Approval

The new series of E2000 circuit breakers provide branch circuit protection and are UL approved and UL 489 listed. They are available in single-, double- and triple pole versions with a rated VAC of 120/240.

See page 7-6.



Miniature Circuit Breakers with UL Approval

### Emergency Push-Buttons

These new push-buttons feature an improved ergonomic design to ensure positive actuation and a more comfortable feel for users. All versions are manufactured in thermoplastic, complementing the existing range of round plastic operators, and are double insulated for operator safety and suitable for use in corrosive environments. The reduced front of panel projection significantly improves appearance while providing differentiation from other operator functions.

See page 9-69.



Emergency Push-Buttons

# General Purpose Control Components

# Introduction

## GE Fastrac Program

What you want.

When you want it.

Fastrac Program Lead Times listed in red - Restrictions Apply

GE Fastrac Program is one of the broadest, fastest quick-ship programs in the marketplace. By giving you the capability to meet the tightest deadlines, it provides the power for you to meet demanding time requirements and specifications.

The GE Fastrac Program encompasses the most popular products in a variety of lines, including:


- combination and non-combination starters
- reversers and two-speed controllers
- NEMA contactors
- reduced voltage starters
- lighting contactors
- safety switches/load centers
- transformers
- lighting panelboards
- power panelboards
- switchboards
- motor control centers
- Limitamp® medium voltage motor control
- busway
- low voltage switchgear
- medium voltage switchgear
- circuit breaker trip unit conversion kits

On the following pages, you'll find a quick reference on quick shipments from the GE Fastrac Program, including details on the scope of each product line involved and a comparison of timing to standard shipping cycles.

You'll also find references to available publications that further detail the specific parameters of each product line program.

These publications may be ordered from:

GE Consumer & Industrial  
Distribution Services  
P.O. Box 2913, Bloomington, IL 61702-2913  
(309) 664-1513 Fax (309) 662-9660



# General Purpose Control Components

## GE Fastrac Program

## Introduction

What you want.

When you want it.

Fastrac Program Lead Times listed in red - Restrictions Apply

### Combination and non-combination starters

---

The GE Fastrac Program covers eighty percent of the combination magnetic motor starters that GE sells as well as non-combination magnetic motor starters (3-phase, 3-pole) in NEMA sizes 0-4 with a full range of options.

Standard cycle: 2 weeks.

**GE Fastrac Program: 1 day**

References: GEP-1260 Control Catalog, Section 1  
DE-216 Combination Starter Basics

### Reversers and two-speed controllers

---

Magnetic reversing controllers and magnetic two-speed controllers are available.

Standard cycle: 2 weeks.

**GE Fastrac Program: 1 day**

References: GEP-1260 Control Catalog, Section 1

### NEMA contactors

---

Magnetic contactors are available in NEMA sizes 00-6 and in 1, 2, 3, and 4 pole configurations.

Standard cycle: 2 weeks.

**GE Fastrac Program: 1 day**

References: GEP-1260 Control Catalog, Section 1

### Reduced voltage starters

---

Most autotransformer, open transition wye-delta, and part-winding reduced voltage starters are available through GE Fastrac Program.

Standard cycle: 5 weeks.

**GE Fastrac Program: 3 days**

References: GEP-1260 Control Catalog, Section 2

### Switchboards

---

Look for many Class 1, Class 2 switchboards under the GE Fastrac Program banner.

**GE Fastrac Program: 2 weeks**

References: GEP-1100 BuyLog® Catalog, Section 10  
GEP-786 Engineered Products Catalog, Section 3

AV3 and Power Break® designs are also available. Contact your local GE Consumer & Industrial sales office for details.

### Motor control centers

---

GE Fastrac Program encompasses a variety of motor control centers.

Motor control centers

**GE Fastrac Program: 1 week**

References: GEP-1100 BuyLog Catalog, Section 12  
GEP-786 Engineered Products Catalog, Section 10

### Motor control center units

---

**GE Fastrac Program: 1 week**

References: GEP-1100 BuyLog Catalog, Section 12  
GEP-9030 GE Fastrac Program

### Limitamp® medium voltage motor control

---

Many different Limitamp® medium voltage motor control units are available through GE Fastrac Program.

**GE Fastrac Program: 3 weeks**

References: GEP-786 Engineered Products Catalog, Section 11

### Lighting contactors

---

Choose from a wide variety of the most popular mechanically and electrically held lighting contactors.

Standard cycle: 2 weeks.

**GE Fastrac Program: 1 day**

References: GEP-1260 Control Catalog, Section 3  
DEP-123 Lighting Contactors Catalog



# General Purpose Control Components

## GE Fastrac Program

What you want.

When you want it.

Fastrac Program Lead Times listed in red - Restrictions Apply

### Dry type transformers

GE Fastrac Program includes popular three-phase dry type transformers of 15-500kVA. Catalog numbers available include 9T23B3871 through 9.

Standard cycle: 5 days.

**GE Fastrac Program: 1 day**

References: GEP-1100 BuyLog Catalog, Section 8

### Safety switches/Load centers

The GE Fastrac Program includes popular heavy duty and general duty safety switches as well as single and three phase load centers.

Standard cycle: 5 days.

**GE Fastrac Program: Distributor stock**

References: GEP-1100 BuyLog Catalog, Section 1 (load centers) and Section 2 (safety switches)

### Lighting panelboards

GE Fastrac Program offers quick shipment of many high-volume A-Series® lighting panelboards.

Standard cycle: 2 weeks.

**GE Fastrac Program: 1 day**

References: GEP-1100 BuyLog Catalog, Section 9

### Power panelboards

You'll find a range of popular Spectra® Series power panelboards available through GE Fastrac Program.

Standard cycle: 2 weeks.

**GE Fastrac Program: 1 day**

References: GEP-1100 BuyLog Catalog, Section 9

### Busway

GE Fastrac Program encompasses many busway offerings. It places selected high-volume switch-operated fusible busway plugs, busway hangers and bus runs in stock and ready for immediate shipment. One-day shipment of fusible 30 through 200 ampere plugs for Spectra® Series, Armor-Clad and FVK. Two-week shipments for short, simple runs of Spectra® Series LowAmp Bus.

Standard cycle: 4 to 6 weeks.

**GE Fastrac Program: 24 hours to 10 days.**

References: GEP-1100 BuyLog Catalog, Section 11

### Low voltage switchgear

A wide range of AKD-10 low-voltage switchgear is available on a GE Fastrac Program basis.

**GE Fastrac Program: Contact your local GE Consumer & Industrial representative for details.**

References: DET-196 AKD-10 Switchgear Application Guide

### Trip unit conversion kits for low voltage power circuit breakers

MicroVersaTrip® Plus and MicroVersaTrip® PM trip unit conversion kits are available to upgrade existing breakers.

**GE Fastrac Program: Contact your local GE Consumer & Industrial representative for details.**

References: DET-066B	MicroVersaTrip® Plus & MicroVersaTrip® PM Conversion Kits for GE Power Circuit Breakers
DET-067B	MicroVersaTrip® Plus & MicroVersaTrip® PM Conversion Kits for I-T-E Power Circuit Breakers
DET-093B	MicroVersaTrip® Plus & MicroVersaTrip® PM Conversion Kits for Westinghouse Power Circuit Breakers
DET-226	MicroVersaTrip® Plus & MicroVersaTrip® PM Conversion Kits for Allis Chalmers Power Circuit Breakers

### Medium voltage switchgear

A broad selection of Power/Vac units are available within the GE Fastrac Program.

**GE Fastrac Program: Contact your local GE Consumer & Industrial representative for details.**

References: GET-6600E Power/Vac Switchgear Application Guide



Quick Index

1	NEMA Full Voltage Power Devices
2	Reduced Voltage Starters
3	Lighting Contactors
4	Definite Purpose Controls
5	IEC Power Devices
6	IEC Manual Motor Starters
7	Miniature Circuit Breakers
8	IEC Switches and Disconnects
9	Pilot and Signaling Devices
10	Logic Control
11	Specialty Control Devices
12	Terminal Blocks
13	Enclosures
14	Control Renewal Parts
15	Transformers
16	Drives
17	GE Publication Index
18	GE Product Index

Table of Contents

Section 1: NEMA Full Voltage Power Devices

**NEMA Rated Full Voltage Power Devices**

GE Fastrac Program Information.....	1-5
Application Information and Technical Data (300-Line).....	1-6

**Magnetic Nonreversing Starters (CR306, CR386)**

Basic Features (300-Line) and Technical Features (CR306, CR386).....	1-9
Non-combination, NEMA Sizes 00-9 with Thermal Overload Relays — Application Information and Selection Instructions (CR306, CR386).....	1-10
Non-combination, NEMA Sizes 00-9 with Thermal Overload Relays (CR306, CR386).....	1-11
Non-combination, NEMA Sizes 1-6 with Solid State Overload Relays — Selection Instructions and Technical Features (CR306).....	1-13
Non-combination, NEMA Sizes 1-6 with Solid State Overload Relays.....	1-14
Outlines and Dimensions (CR306, CR386).....	1-15

**Magnetic Reversing Starters (CR309)**

Application Information and Selection Instructions.....	1-19
Non-combination, NEMA Sizes 00-7 with Thermal Overload Relays, Three-Phase.....	1-20
Non-combination, NEMA Sizes 00-1 with Thermal Overload Relays, Single-Phase.....	1-21
Outlines and Dimensions (CR309).....	1-22

**Magnetic Two-Speed Starters (CR309)**

Application Information and Selection Instructions.....	1-26
Non-combination, NEMA Sizes 0-5 with Thermal Overload Relays, Two-Winding.....	1-27
Non-combination, NEMA Sizes 0-5 with Thermal Overload Relays, One-Winding.....	1-28
Outlines and Dimensions (CR309).....	1-29

**Magnetic Nonreversing Starters (CR307, CR407, CR308, CR408)**

Application Information and Selection Instructions.....	1-32
Nonfusable Disconnect Type (CR308, CR408).....	1-33
Fusable Disconnect Type (CR308, CR408).....	1-34
Nonfusable and Fusable Part Number Configuration Size 0-2, NEMA Type 1 (CR308).....	1-36
Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR408).....	1-39
Thermal Magnetic Circuit Breaker Type (CR307, CR407).....	1-44
Thermal Magnetic Part Number Configuration Size 0-2, NEMA Type 1 (CR307).....	1-45
Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR407).....	1-48
Outlines and Dimensions.....	1-61

**Mag-Break® Magnetic Nonreversing Starters (CR387, CR487)**

Application Information and Selection Instructions.....	1-52
Mag-Break Circuit Breaker Type (CR387, CR487).....	1-53
Mag-Break Part Number Configuration Size 0-2, NEMA Type 1 (CR387).....	1-54
Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR487).....	1-57
Outlines and Dimensions.....	1-61

**Magnetic Reversing Starters (CR310, CR410, CR311, CR411)**

Application Information and Selection Instructions.....	1-66
Nonfusable Disconnect Type (CR311, CR411).....	1-67
Fusable Disconnect Type (CR311, CR411).....	1-68

Nonfusible and Fusible Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR411).....	1-70
Thermal Magnetic Circuit Breaker Type (CR310, CR410).....	1-75
Thermal Magnetic Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR410).....	1-76
Outlines and Dimensions.....	1-86
<b>Mag-Break® Magnetic Reversing Starters (CR390, CR490)</b>	
Application Information and Selection Instructions.....	1-80
Mag-Break Circuit Breaker Type (CR390, CR490).....	1-81
Mag-Break Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR490).....	1-82
Outlines and Dimensions.....	1-86
<b>Magnetic Two-speed Controllers (CR412, CR413, CR492)</b>	
Application Information and Selection Instructions.....	1-88
Nonfusible Disconnect Type (CR413).....	1-89
Fusible Disconnect Type (CR413).....	1-90
Nonfusible and Fusible Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR413).....	1-91
Thermal Magnetic Circuit Breaker Type (CR412).....	1-96
Thermal Magnetic Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR412).....	1-97
Mag-Break Circuit Breaker Type (CR492).....	1-101
Mag-Break Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR492).....	1-102
Outlines and Dimensions.....	1-124
<b>Magnetic Two-speed Controllers (CR414, CR415, CR494)</b>	
Application Information and Selection Instructions.....	1-106
Nonfusible Disconnect Type (CR415).....	1-107
Fusible Disconnect Type (CR415).....	1-108
Nonfusible and Fusible Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR415).....	1-109
Thermal Magnetic Circuit Breaker Type (CR414).....	1-114
Thermal Magnetic Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR414).....	1-115
Mag-Break Circuit Breaker Type (CR494).....	1-119
Mag-Break Part Number Configuration Size 0-4, NEMA Type 1, 3R, 12, 4/4X (CR494).....	1-120
Outlines and Dimensions.....	1-124
<b>Factory-Installed Modifications for Magnetic Starters</b>	
NEMA Sizes 00-6 (CR306, CR307, CR308, CR309, CR310, CR311, CR387, CR390, CR407, CR408, CR410, CR411, CR487, CR490).....	1-126
NEMA Sizes 00-9 (CR306, CR307, CR308, CR310).....	1-132
<b>Field-Installed Modifications for Magnetic Starters</b>	
Auxiliary Contact Kits (CR305X, CR385X).....	1-134
Modification Kits.....	1-137
Fuse-Clip Kits (CR308X).....	1-141
<b>Enclosures for NEMA Rated Full Voltage Starters (300-Line)</b>	
Application Information and Selection Instructions.....	1-143
Selection Tables.....	1-144
Combination Starter Enclosure Kits.....	1-145
<b>Overload Relays for Panel Mounting</b>	
Application Information and Selection Instructions (CR324).....	1-147
Three-Pole, 135 Maximum Amperes Continuous (CR324).....	1-148
Application Information and Selection Instructions (CR124).....	1-149
Single-Pole, 270 Maximum Amperes Continuous (CR124).....	1-150
Outlines and Dimensions (CR324, CR124).....	1-151
<b>Approximate Motor Full-Load Current Ratings.....</b>	<b>1-153</b>
<b>Heaters Selection</b>	
Motor Starter Heaters (CR123C, CR123F).....	1-155
Panel Mounted Overload Relays Heaters (CR123C, CR123F).....	1-159
Panel Mounted Overload Relays Heaters (CR123K, CR123L).....	1-161
<b>Solid State Overload Relays for Panel Mounting (CR324X)</b>	
Technical Features.....	1-162
Selection Instructions.....	1-163
Outlines and Dimensions.....	1-165
<b>NEMA Rated Full Voltage Manual Starters</b>	
Application Information and Selection Instructions (CR101H, CR101Y).....	1-166
Non-combination, Single Phase.....	1-167
Enclosure Components.....	1-168
Outlines and Dimensions (CR101H, CR101Y).....	1-169
Application Information and Selection Instructions (CR1062).....	1-170
Single-Phase and Polyphase.....	1-171
Outlines and Dimensions (CR1062).....	1-173
Manual Starter Heaters for Single-phase and Polyphase.....	1-174
<b>Pumping Panels</b>	
Application Information and Selection Instructions (CR340, CR341).....	1-176
Fusible Disconnect Type with Thermal Overload Relays, Thermal Class 20 (CR341).....	1-177
Fusible Disconnect Type with Thermal Overload Relays, Thermal Class 10 (CR341).....	1-178
Fusible Disconnect Type with Solid State Overload Relays, Class 10-20-30 (CR341).....	1-180
Fusible Disconnect Type Part Number Configuration (CR341).....	1-181
With Thermal Overload Relay, Relay Class 20 (CR340).....	1-184
Mag-Break Type with Thermal Overload Relays, Thermal Class 10 (CR340).....	1-185
Mag-Break Type with Solid State Overload Relays, Class 10-20-30 (CR340).....	1-186
Mag-Break Type Part Number Configuration (CR340).....	1-187
Heaters (CR340, CR341).....	1-190
Outlines and Dimensions (CR340, CR341).....	1-192
<b>Magnetic Nonreversing Contactors (CR305, CR385)</b>	
Application Information and Selection Instructions (CR305, CR385).....	1-195
NEMA Sizes 00-9, One- and Two-Pole (CR305, CR385).....	1-196
NEMA Sizes 00-9, Three-Pole (CR305, CR385).....	1-197
NEMA Sizes 00-9, Four-Pole (CR305, CR385).....	1-198



Factory Installed Modifications for Magnetic Contactors (CR305, CR385).....	1-199
Outlines and Dimensions (CR305, CR385).....	1-210
<b>Field-Installed Modifications for Magnetic Contactors (CR305, CR385)</b>	
Application Information and Selection Instructions.....	1-204
Auxiliary Contact Kits (CR305X, CR385X).....	1-205
Modification Kits.....	1-207
Outlines and Dimensions (CR305, CR385).....	1-210

### Section 2: Reduced Voltage Starters

<b>Reduced Voltage Starters-Solid State</b>	
<b>Introduction</b> .....	2-2
<b>ASTAT®-SD</b>	
Applications, Features and Description.....	2-3
Open Starters (QS2).....	2-4
Enclosed Noncombination Starters (CR376).....	2-5
Enclosed Combination Starters, Fusible Disconnect Type (CR377).....	2-6
Enclosed Combination Starters, Mag-Break Type (CR378).....	2-7
Enclosed Starters, Factory Installed Modifications (CR376, CR377, CR378).....	2-8
Technical Specifications.....	2-10
Outlines and Dimensions.....	2-12
<b>ASTAT®-IBP Plus</b>	
Applications, Features and Description.....	2-13
Open Starters (Q13).....	2-16
Enclosed Starters (CR374, CR375).....	2-17
Technical Specifications (Q13).....	2-21
Open Starters, Outlines and Dimensions.....	2-25
<b>ASTAT®-CD Plus</b>	
Applications, Features and Description.....	2-29
Open Starters (QC2).....	2-32
Enclosed Noncombination Starters (CR370).....	2-33
Enclosed Combination Starters, Fusible Disconnect Type (CR371).....	2-36
Enclosed Combination Starters, Mag-Break Type (CR373).....	2-38
Enclosed Starters, Factory Installed Modifications (CR370, CR371, CR373).....	2-41
Technical Specifications (QC2).....	2-46
Open Starters, Outlines and Dimensions (QC2).....	2-49
Enclosed Starters, Outlines, Dimensions and Weights (CR370, CR371, CR373).....	2-51
<b>Reduced Voltage Starters-Electromechanical</b>	
<b>Introduction</b> .....	2-53
<b>Reduced Voltage Autotransformer Starters</b>	
Applications, Features, Description and Product Number Selection Instructions (CR331).....	2-54, 2-55
Product Table (CR331).....	2-56
Outlines, Dimensions and Weights (CR331).....	2-57
<b>Reduced Voltage Wye Delta Starters</b>	
Applications, Features, Description and Product Number Selection Instructions (CR332).....	2-58
Product Tables (CR332).....	2-59
Outlines, Dimensions and Weights (CR332).....	2-61

Schematic Diagrams (CR332).....	2-62
<b>Reduced Voltage Part Winding Starters</b>	
Applications, Features, Description and Product Number Selection Instructions (CR330).....	2-63
Product Table (CR330).....	2-64
Outlines, Dimensions and Weights (CR330).....	2-64
Schematic Diagrams (CR330).....	2-65
<b>Reduced Voltage Starters</b>	
Factory Installed Modifications (CR330, CR331, CR332).....	2-66
Heaters (CR123, CR123F).....	2-68

### Section 3: Lighting Contactors

<b>CR460, CR463 Series</b>	
Introduction - 2-12 Pole, 30 Amp.....	3-2
Components (CR463).....	3-6
Electrically Held, Standard Assembled Forms (CR463L).....	3-8
Electrically Held, Modified Assembled Forms (CR463L).....	3-10
Mechanically Held, Standard Assembled Forms (CR463M).....	3-12
Mechanically Held, Modified Assembled Forms (CR463M).....	3-14
Electrically Held/Mechanically Held - Wiring Diagrams (CR463L, CR463M).....	3-16
Electrically Held/Mechanically Held - Outlines and Dimensions (CR463L, CR463M).....	3-17
Electrically Held/Mechanically Held - Technical Data (CR460, CR463 Series).....	3-20
<b>CR360L Series</b>	
Electrically Held, 2-4 Pole, 30-300 Amp (CR360L).....	3-21
Electrically Held - Outlines, Dimensions and Weights (CR360L).....	3-24
<b>CR160 Series</b>	
Mechanically Held, 2-3 Pole, 30-225 Amps (CR160MC).....	3-26
Mechanically Held - Outlines, Dimensions and Weights (CR160MC).....	3-30
<b>CR360ML Series</b>	
Mechanically Held, 2-3 Pole, 400-1000 Amps (CR360ML).....	3-32
Mechanically Held - Outlines, Dimensions and Weights (CR360ML).....	3-36

### Section 4: Definite Purpose Controls

<b>Full Voltage Contactors</b>	
Definite Purpose Controls Advantages (CR453C Compact).....	4-2
Definite Purpose Controls Advantages (CR453A Standard).....	4-3
Compact, Single Phase, 20A-40A (CR453C) Product Tables.....	4-4
Compact, Single Phase, 20A-40A (CR453C) Factory Modified Forms.....	4-5
Standard, Single Phase, 25A-40A (CR453A) Product Tables.....	4-6
Standard, Single Phase, 25A-40A (CR453A) Factory Modified Forms.....	4-7
Standard, Three Phase, 4-pole, 25A-40A (CR353) Product Tables.....	4-8
Standard, Three Phase, 4-pole, 25A-40A (CR353) Factory Modified Forms.....	4-9



Standard, Three Phase, 2-pole and 3-pole, 50A-150A (CR353) Product Tables.....	4-10
Standard, Three Phase, 2-pole and 3-pole, 50A-150A (CR353) Factory Modified Forms.....	4-11
Standard, Three Phase and Single Phase, 25A-40A (CR455) Product Tables.....	4-12
Standard, 2-Speed Controllers, 25A-40A (CR355) Product Tables.....	4-13
Standard, Three Phase and Single Phase, 25A-40A (CR455) Factory Modified Forms.....	4-14

### Full Voltage Starters

Standard, Three Phase and Single Phase, 3-Pole, 25A-40A (CR454) Product Tables.....	4-15
Standard, Three Phase and Single Phase, 3-Pole, 25A-40A (CR454) Factory Modified Forms.....	4-16
Standard, Three Phase and Single Phase, 2-Pole and 3-Pole, 50A-60A (CR354) Product Tables.....	4-17
Standard, Three Phase and Single Phase, 2-Pole and 3-Pole, 50A-60A (CR354) Factory Modified Forms.....	4-18
Heaters, Three Phase and Single Phase, 50A-60A.....	4-19

### Full Voltage Contactors and Starters

Accessories (CR453A, CR353).....	4-20
Accessories (C-2000).....	4-20
Replacement Coils and Renewal Parts, Contactors and Starters.....	4-22
Technical Data, Contactors and Starters.....	4-24
Outlines and Dimensions, Contactors and Starters.....	4-27
Bulk Pack Data.....	4-34

## Section 5: IEC Power Devices

### Contactors Overview (C-2000).....

#### Mini Contactors (C-2000)

Overview.....	5-4
Features and Benefits.....	5-5
Accessory Features.....	5-6
Product Offering.....	5-7
Product Number Selection Instructions.....	5-7
Product Descriptions.....	5-8
AC 3-Pole, Up to 600 VAC Coil, Nonreversing.....	5-9
AC 3-Pole, Up to 250 VDC Coil, Nonreversing.....	5-10
AC 4-Pole, Up to 600 VAC Coil, Nonreversing.....	5-11
AC 4-Pole, Up to 250 VDC Coil, Nonreversing.....	5-12
AC 3-Pole, Up to 600 VAC Coil, Reversing.....	5-13
AC 3-Pole, Up to 250 VDC Coil, Reversing.....	5-14
AC 3-Pole, Up to 24 VDC Coil, Nonreversing.....	5-15
Accessories.....	5-16
Overload Relays.....	5-20
Overload Relays Accessories.....	5-20
Control Relays.....	5-21
Control Relay Accessories.....	5-23
Outlines and Dimensions.....	5-24
Technical Information.....	5-31
Application Information.....	5-34
Application Information - Overload Relay Performance Curves.....	5-35

### Contactors and Starters (C-2000)

Introduction.....	5-36
Product Number Selection Instructions.....	5-37
Contactors - Nonreversing and Reversing, AC Controlled, 3-Pole.....	5-38
Contactors - Nonreversing and Reversing, DC Controlled, 3-Pole.....	5-39
Contactors - Nonreversing and Reversing, AC/DC Controlled, 3-Pole.....	5-40
Contactors - Nonreversing, AC, DC, AC/DC Controlled, 4-Pole.....	5-42
Contactors - Nonreversing, AC/DC Controlled, 4-Pole.....	5-43
Contactors Accessories.....	5-44
Contactor Coils.....	5-50
Contactor Enclosures.....	5-51
Contactor Enclosure Accessories.....	5-52
Contactors Thermal Overload Relays.....	5-53
Contactors Thermal Overload Relays Accessories.....	5-57
Contactors Thermal Overload Relays Technical Characteristics.....	5-58
Control Relays Selection Guide.....	5-60
Control Relays Accessories.....	5-61
Specifications - Contactors, Starters, and Relays.....	5-64
Contactors Technical Data.....	5-65
Overload Relays Technical Data.....	5-68
Contactors Accessories Technical Data.....	5-69
Contactors Lifetime Curves.....	5-70
Contactors Application Ratings-DC.....	5-73
Contactors Application Ratings-AC.....	5-74
Contactors Application Ratings-KVA.....	5-75
Contactors and Starters Type 2 Coordination.....	5-76
Contactors and Starters Wiring Diagrams.....	5-77
Contactors Dimensions.....	5-79

### Assembled Starters (C-2000)

Selection Guide.....	5-95
Nonreversing, AC.....	5-97
Reversing, AC.....	5-101
Wye-Delta, Open Transition, AC.....	5-105
Enclosures.....	5-109

## Section 6: IEC Manual Motor Starters

Overview.....	6-2
Selection Guide.....	6-5
Accessories - Front Mounted.....	6-7
Accessories - Side Mounted.....	6-7
Accessories - Group Mounted.....	6-9
Accessories - External Handle Operators.....	6-10
Accessories - Other.....	6-10
Accessories - Integrated Starter Components.....	6-11
Enclosures and Enclosure Accessories.....	6-13
Integrated with Contactor, Open, AC Operated Contactors, Standard Interruption Capacity.....	6-15
Integrated with Contactor, Open, DC Operated Contactors, Standard Interruption Capacity.....	6-16
Integrated with Contactor, Open, AC Operated Contactors, High Interruption Capacity.....	6-17



Integrated with Contactor, Open, DC Operated Contactors, High Interruption Capacity.....	6-18
Integrated with Contactor, Factory Installed Accessories.....	6-19
Enclosed, Non-metal Enclosures, Standard Interruption Capacity.....	6-20
Enclosed, Factory Installed Accessories.....	6-21
Enclosed, Metal Enclosures, High Interruption Capacity.....	6-22
Enclosed, Factory Installed Accessories.....	6-23
Integrated with Contactor, Enclosed, AC Operated Contactors, High Interruption Capacity.....	6-24
Integrated with Contactor, Enclosed, DC Operated Contactors, High Interruption Capacity.....	6-26
Integrated with Contactors, Factory Installed Accessories.....	6-28
Outline Drawings.....	6-30
Wiring Diagrams – Accessories.....	6-42
Short Circuit Current Rating, Rating Breaking Capacity.....	6-44
Type 2 Short Circuit Rating, Individual Group and Combination Starters.....	6-45
Specifications.....	6-46
Time Current Curves.....	6-47

### Section 7: Miniature Circuit Breakers

#### E2000 Miniature Circuit Breakers

EP60 Series.....	7-2
EP100 Series.....	7-4
EP100 ULH Series.....	7-6
EP100 UC Series (Branch Circuit Protection).....	7-8
Series CA Auxiliary Switch and Bell Alarm.....	7-10
Series CB Auxiliary Switch and Bell Alarm.....	7-11
Shunt Trip and Undervoltage Release.....	7-12
Technical Data.....	7-13

### Section 8: IEC Switches and Disconnects

#### ML Disconnect Switches

Introduction.....	8-2
Mounting Styles and Availability.....	8-3
Open Main Switches Product Tables.....	8-4
Enclosed Switches Product Tables.....	8-7
Emergency Stop Switches with Undervoltage Release.....	8-8
Accessories.....	8-9
Technical Data - UL, CSA and IEC Ratings.....	8-10
Outlines and Dimensions.....	8-11
Switching Diagrams - How to Read.....	8-16
Switching Diagrams.....	8-17

### Section 9: Pilot and Signaling Devices

#### Heavy-Duty 30.5 mm Watertight/Oiltight Push Buttons (CR104P)

Introduction and Overview.....	9-2
Standard, Non-Illuminated Push Buttons.....	9-4
Standard, Illuminated Push Buttons.....	9-6
Mushroom Head, Non-Illuminated Push Buttons.....	9-7
Mushroom Head, Illuminated Push Buttons.....	9-8
Key-Operated Push Buttons.....	9-9
Special Function, Non-Illuminated Push Buttons.....	9-10

Special Function, Non-Illuminated Push-Turn Push Buttons.....	9-11
Special Function, Illuminated Push Buttons.....	9-12
Protected Mushroom Head Push Buttons.....	9-13
Pilot Devices, Standard Indicating and Push-to-Test.....	9-15
Pilot Lights, Cluster-Type and Remote Test Lights.....	9-16
Knob Operated, Non-Illuminated Selector Switches.....	9-17
Lever Operated, Non-Illuminated Selector Switches.....	9-19
Key-Operated, Non-Illuminated Selector Switches.....	9-21
Knob Operated, Illuminated Selector Switches.....	9-25
Cam Logic Tables for Selector Switches.....	9-30
Special Operators; Joysticks.....	9-31
Special Operators; Potentiometer Operators.....	9-32
Contact Blocks.....	9-33
Accessories, Components and Kits.....	9-35
Nameplates and Inserts.....	9-40
Kitted Operators (Hot Buttons).....	9-42
Enclosures and Stations, Assembled with Push Buttons.....	9-44
Enclosures and Stations, Assembled Unwired.....	9-45
Enclosures and Stations, Enclosure Only.....	9-46
Enclosure Dimensions.....	9-47
Push Button Stations, Surface Mounted.....	9-48
Push Button Stations, Flush- Mounted.....	9-51
Push Button Stations, Dimensions.....	9-54
Palm Switches.....	9-55
Push Buttons, Technical Data.....	9-56

#### Heavy-Duty 22.5 mm Watertight/Oiltight Push Buttons (C-2000)

Table of Contents/Quick Reference Guide (Detailed listing for C-2000 Push Buttons).....	9-58
Introduction, Quick Reference Guide.....	9-58, 9-59
How to Select, Price and Order.....	9-60, 9-61
Nomenclature Keys.....	9-62 to 9-64
Standard Push Buttons.....	9-65
Illuminated Push Buttons.....	9-67
Mushroom-Head Push Buttons, Emergency Push Button.....	9-69
Illuminated Mushroom-Head Push Buttons.....	9-71
Special Function, Non-Illuminated Push Buttons.....	9-72
Special Function, Illuminated Push Buttons.....	9-74
Key-Operated & Selector Push Buttons.....	9-76 to 9-77
Multi-Function Push Buttons.....	9-78
Selector Switches.....	9-79
Pilot Lights.....	9-93
Push-to-Test Pilot Lights.....	9-94
Special Operators.....	9-96
Power Supplies & Contact Blocks.....	9-100
Nameplates.....	9-103
Specially Marked Push Button Caps; Diffusers & Inserts.....	9-107
Caps, Heads, Lenses & Handles.....	9-111
Plastic Enclosures, Nameplates, Contact Blocks & Power Supplies for Base-Mounted Pilot Devices.....	9-113
Die-Cast Aluminum Enclosures.....	9-115
Sheet Steel & Stainless Steel Enclosures.....	9-116
Accessories.....	9-118
Lamps.....	9-119
Assembled Forms.....	9-121
Technical Data.....	9-127 to 9-133

### Section 10: Logic Control

#### General Purpose Relays

Plug-in Relays Application and Features (CR420)	10-2
Plug-in Relays Product Series Overview (CR420)	10-3
Plug-in Relays Product Tables (CR420H and CR420J)	10-4
Plug-in Relays Product Tables (CR420K and CR420M)	10-5
Plug-in Relays Product Tables (CR420N)	10-6
Plug-in Relays Technical Data (CR420H and CR420J)	10-7
Plug-in Relays Technical Data (CR420K and CR420M)	10-8
Plug-in Relays Technical Data (CR420N)	10-9
Plug-in Relays Connection Diagrams (CR420)	10-10
Plug-in Relays Outlines and Dimensions (CR420)	10-11

#### Industrial/Machine Tool Relays

AC Operated, DC Operated, Latched Relays	
Application and Features (CR120B)	10-14
AC Operated, DC Operated, Latched Relays Product Tables (CR120B, CR120BD, CR120BL)	10-15
AC Operated Weld Check Relays Description (CR120BP)	10-16
AC Operated Weld Check Relays	
Product Tables (CR120BP)	10-17
Standard Components (CR120B)	10-18
Accessories (CR120B)	10-19
Outlines and Dimensions (CR120B)	10-20

#### IEC Electronic Timers

IEC Electronic Timers Product Overview	10-22
Multivoltage Electronic Timers Product Tables	10-23
Multivoltage Electronic Timers Technical Data	10-25
Multivoltage Electronic Timers	
Outlines and Dimensions	10-32

#### IEC Protective Relays

IEC Protective Relays Overview	10-33
Liquid Level Detector Relays Product Tables	10-34
Differential Ground Fault Relays Product Tables	10-34
Control and Protection Relays Product Tables	10-35
IEC Protective Relays Technical Data	10-37
IEC Protective Relays Outlines and Dimensions	10-51

### Section 11: Specialty Control Devices

#### Industrial Strongbox Solenoids (CR9500)

Introduction	11-2
AC Solenoid Forms	11-3
Mounting Options and Accessories for AC Forms	11-3
DC Solenoid Forms	11-4
Outlines and Dimensions	11-4

#### Heavy Duty AC and DC Solenoids (CR9503)

Introduction	11-5
Heavy Duty AC Solenoids	11-6
Heavy Duty DC Solenoids	11-7
Outlines and Dimensions	11-8

#### Pressure Switches (CR127A, CR127B)

Introduction	11-9
Low Pressure Forms (Bellows Actuated) (CR127B)	11-10
High Pressure Forms (Piston Actuated) (CR127A)	11-10
Factory and Field-Installed Modifications	11-11
Outlines and Dimensions	11-11

#### Vane-Operated Limit Switches (CR115A, CR115AS)

Introduction	11-12
Vane-Operated Limit Switches (all forms) (CR115A)	11-13

Vane-Operated Limit Switches (solid-state forms) (CR115AS)	11-14
Outlines and Dimensions	11-15

#### Magnet-Operated Limit Switches (CR115A, CR115AS)

Introduction	11-16
Magnet-Operated Forms (CR115A, CR115AS)	11-17
High Current Forms (CR115A)	11-17
Outlines and Dimensions	11-18

#### Geared Rotary Limit Switches (CR115E)

Introduction	11-19
Snap-Acting Forms (CR115E)	11-20
Outlines and Dimensions	11-21

#### Precision Snap-Acting Limit Switches (CR115B)

Introduction	11-22
Snap-Acting Forms (CR115B)	11-23
Accessories	11-23
Outlines and Dimensions	11-23

### Section 12: Terminal Blocks

#### DIN-rail Mounted Terminal Blocks (CR151K)

Product Tables	12-3, 12-4
Accessories	12-3, 12-4
Technical Data	12-5
Outlines and Dimensions	12-6

#### Panel or Mounting Track Terminal Blocks (CR151C)

Product Tables	12-9
Accessories	12-9
Outlines and Dimensions	12-9

#### Panel or Mounting Track Terminal Blocks-Sectional

#### (CR151A)

Product Tables	12-10
Accessories	12-10
Outlines and Dimensions	12-11

#### Panel or Mounting Track Terminal Boards (CR151B)

Product Tables	12-13
Accessories	12-13
Outlines and Dimensions	12-13

#### Panel or Mounting Track Terminal Boards (CR2960)

Product Tables	12-14
Outlines and Dimensions	12-14

### Section 13: Enclosures

#### Enclosure Definitions

	13-2
--	------

#### Enclosures for Non-Hazardous Locations

	13-2
--	------

#### Enclosures for Hazardous Locations

	13-3
--	------

#### IEC Enclosure Protection

	13-4
--	------

#### Vynckier Non-metallic Enclosures

	13-5
--	------

Overview	13-5
----------	------

APO Series	13-7
------------	------

VJ Series	13-8
-----------	------

### Section 14: Control Renewal Parts

#### Renewal Parts

For NEMA Rated 300- and 200-Line Magnetic Contactors and Starters, Sizes 00-7	14-2
---	------

For Full-Voltage NEMA Rated Magnetic Contactors, Starters and Relays, Sizes 00-5	14-5
--	------

For CR2943/2940 Push Buttons	14-6
------------------------------	------



# General Purpose Control Components

## Table of Contents

For Solid State Reduced Voltage Starters,  
 ASTAT®-IBP Plus.....14-7  
 For Solid State Reduced Voltage Starters,  
 ASTAT®-CD Plus.....14-8

### Section 15: Transformers

#### Machine Tool

Machine Tool Applications: Single-Phase (9T58K)  
 Product Tables .....15-2  
 Control: Single-Phase (9T58K) Product Tables .....15-3  
 Options and Fusing Guide .....15-5  
 Machine Tool Applications: Wiring Diagrams .....15-6  
 Outlines and Dimensions .....15-7

#### CE-Rated

Product Tables (9T58E).....15-8

#### Dry-Type/Cased

Isolated, General Purpose, Single-Phase,  
 (9T51B and 9T21B) Product Tables.....15-9  
 Isolated, CE-Rated (9T51E) Product Tables .....15-12  
 Dimensions and Weights .....15-13  
 Wiring Diagrams .....15-14

### Section 16: Drives

#### AF-60LP™ Micro Drive

Product Description .....16-2  
 Product Number System Diagram .....16-2  
 Pricing, Dimensions and Weights .....16-3  
 Options, Accessories, and Replacement Parts .....16-4  
 Dynamic Braking Resistors .....16-5  
 Standard Specifications.....16-6  
 Dimensional Drawings .....16-7  
 Basic Wiring Diagrams.....16-8

#### AF-650GP™ General Purpose Drive

Product Description .....16-9  
 Product Number System Diagram .....16-9  
 Pricing .....16-10  
 Dimensions and Weights .....16-12  
 Dynamic Braking Resistors.....16-14  
 Standard Specifications .....16-15  
 Options and Accessories .....16-17  
 Dimensional Drawings .....16-20  
 Basic Wiring Diagrams.....16-25

#### AF-600FP™ Fan and Pump Drive

Product Description .....16-26  
 Product Number System Diagram.....16-26  
 Pricing .....16-27  
 Dimensions and Weights .....16-29  
 Standard Specifications .....16-31  
 Options and Accessories .....16-33  
 Dimensional Drawings .....16-36  
 Basic Wiring Diagrams.....16-41

### Section 17: GE Publication Index

Publication Index .....17-1

### Section 18: Product Index

Product Index .....18-1

Complete Listing by Product Number with Price, Discount Schedule, GO-Number, UL, cUL information and page number reference, followed by alphabetical listing of product categories.

# General Purpose Control Components Introducing New Auto-Updating Product Information The GE Smart Catalog™

Introduction

## One-Stop Access to Catalogs

Get quick access to detailed product features, product numbers, specifications, dimensions, pricing and accessories. The following catalogs are available:

- Control Catalog — General Purpose Control Components
- BuyLog® — Low and Medium Voltage Components and Equipment

Download both catalogs or just the one you need. Once downloaded, instantly access product information on- or offline.

## Automatic Catalog Updates

Having the latest GE catalog information has never been quicker or easier. When used online, you will be notified automatically when updates are available.

Learn more about how the GE Smart Catalog works.  
Go to [www.gecatalogs.com](http://www.gecatalogs.com)

